PROPOBAZA®

For children and adults

7g

Aftin gel is a natural solution providing immediate pain relief and reduction of inflammation of the mucous membrane of the oral cavity caused by aphthous stomatitis (aphthae), mechanical injury to the buccal mucosa or tongue (caused by the use of orthodontic appliances or accidental bites), injuries resulting from dental interventions, herpetic stomatitis and the like. It is also used as an adjunctive treatment of anoular chelitis (AC) and milder forms of cincivitis.

Clove essential oil in Aftin gel effectively relieves pain, while the propolis and tea tree oil exert an antimicrobial effect, preventing the development and spread of infection.

Aloe Vera, known for its regenerative and soothing properties, contributes to the faster healing of the affected tissue.

Aloe Vera, known for its regenerative and soothing properties, contributes to the faster healing of the affected tis Sodium hyaluronate exhibits a protective effect as it forms a protective layer on the damaged mucosa.

The active principles via stimulation of epithelialization promote the healing and regeneration of the damaged surfaces of the oral mucosa. Instructions for use: Remove the lid from the tube and squeeze the contents in a thin layer directly onto the affected area using the specially designed applicator for targeted application.

Apply Aftin gel 2 - 3 times a day after meals. After the application, no food or drink should be consumed for at least an hour in order to achieve the best effects. If possible, it is advisable not to speak after application for about 30 minutes, as this will reduce the secretion of saliva and the consequent flushing of the preparation from the place where it was applied.

Notes: The gel is intended for use in adults and children above the age of 6. When it comes to use in children under the age of 6, consult a dentist. It is not recommended for use in individuals who are hypersensitive to any of the ingredients in the product. Use the gel until the symptoms of inflammation have been resolved. If there is no improvement or a worsening of symptoms occurs within seven days of using Aftin gel. consult your dentist.

Keep away from the reach of children.

Storage conditions: Store in a dry and dark place, up to 25°C.

Expiry date: 3 years from the date of manufacture. The date of manufacture is contained in the serial number imprinted on the weld of the tube and printed on the box.

Packaging: Tube with an applicator for targeted application.